

e. Table of Contents

[return to Front Matter](#)

Front Matter

- [a. Cover Page](#)
- [b. Summary of Changes](#)
- [c. Abstract](#)
- [d. Copyright Notice](#)
- [e. Table of Contents](#)
- [f. Preface](#)
- [g. OMG Discussion Paper Disclaimer](#)

User Experiences

- [Use Case 1: Connected Healthcare](#)
- [Use Case 2: Tactical Microgrid Standard \(TMS\)](#)
- [Use Case 3: Smart Manufacturing](#)
- [Use Case 4: Digital Agriculture](#)
- [Use Case 5: General Vehicle Architecture \(GVA\)](#)
- [Use Case 6: Kubernetes \(K8s\)](#)
- [User Scenario 1: Energy Sector](#)
- [User Scenario 2: Data Acquisition and Instrumentation](#)
- [User Scenario 3: Medical Devices](#)

Appendices

- [Appendix A: DDS Family of Standards](#)
 - [APIs for DDS](#)
 - [OMG: ISO/IEC C++ 2003 Language DDS PSM \(DDS-PSM-Cxx\)](#)
 - [OMG: Java 5 Language PSM for DDS \(DDS-Java\)](#)
 - [Core DDS Standards](#)
 - [OMG: Data Distribution Service \(DDS\)](#)

- OMG: DDS Data Local Reconstruction Layer (DDS-DLRL)
 - OMG: DDS Interoperability Wire Protocol (DDSI-RTPS)
 - OMG: DDS Security (DDS-SECURITY)
 - OMG: Extensible and Dynamic Topic Types for DDS (DDS-XTypes)
 - OMG: Interface Definition Language (IDL)
- Extensions for DDS
 - OMG: DDS Consolidated XML Syntax (DDS-XML)
 - OMG: RPC Over DDS (DDS-RPC)
- Gateways for DDS
 - OMG: DDS For Extremely Resource Constrained Environments (DDS-XRCE)
 - OMG: OPC-UA/DDS Gateway (DDS-OPCUA)
 - OMG: Web-Enabled DDS (DDS-WEB)
- Work-in-Progress (WiP) for DDS
 - OMG: DDS-Time Sensitive Networks (DDS-TSN)
 - OMG: DDS C# API
 - OMG: DDS Consolidated JSON Syntax (DDS-JSON)
 - OMG: IDL4 to C# Language Mapping
 - OMG: IDL4 to C++ Language Mapping
 - OMG: IDL4 to Java Language Mapping
 - OMG: RTPS TCP/IP PSM for DDS Interoperability
- Appendix B: Quality of Service (QoS) Parameters
 - DEADLINE QoS Parameter
 - DESTINATION_ORDER QoS Parameter
 - DURABILITY QoS Parameter
 - DURABILITY_SERVICE QoS Parameter
 - ENTITY_FACTORY QoS Parameter
 - GROUP_DATA QoS Parameter
 - HISTORY QoS Parameter
 - LATENCY_BUDGET QoS Parameter
 - LIFESPAN QoS Parameter
 - LIVELINESS QoS Parameter
 - OWNERSHIP QoS Parameter
 - OWNERSHIP_STRENGTH QoS Parameter
 - PARTITION QoS Parameter
 - PRESENTATION QoS Parameter
 - READER_DATA_LIFECYCLE QoS Parameter
 - RELIABILITY QoS Parameter
 - RESOURCE_LIMITS QoS Parameter
 - TIME_BASED_FILTER QoS Parameter
 - TOPIC_DATA QoS Parameter
 - TRANSPORT_PRIORITY QoS Parameter
 - USER_DATA QoS Parameter
 - WRITER_DATA_LIFECYCLE QoS Parameter
- Appendix C: Bibliography
 - External References
 - Internal References
- Appendix D: Other Related Standards
 - Internet Engineering Task Force (IETF)
 - RFC1112 - Host Extensions for IP Multicasting

- [Appendix E: DDS Vendors](#)
 - [Vendor: Adlink](#)
 - [Vendor: eProsima](#)
 - [Vendor: GURUM Networks](#)
 - [Vendor: Hamersham Ltd.](#)
 - [Vendor: Kongsberg](#)
 - [Vendor: MILSOFT](#)
 - [Vendor: Object Computing, Inc. \(OCI\)](#)
 - [Vendor: Real-Time Innovations \(RTI\)](#)
 - [Vendor: Remedy](#)
 - [Vendor: Thales](#)
 - [Vendor: Twin Oaks Computing](#)
- [Appendix F: Glossary of Terms Related to DDS](#)
 - [Glossary 0-9 Terms](#)
 - [16-Bit](#)
 - [32-Bit](#)
 - [64-Bit](#)
 - [Glossary A Terms](#)
 - [Access Control](#)
 - [Access Control List \(ACL\)](#)
 - [Actuator](#)
 - [Adaptability](#)
 - [Agile Model](#)
 - [American National Standards Institute \(ANSI\)](#)
 - [American Standard for Information Interchange \(ASCII\)](#)
 - [Application Layer](#)
 - [Application Performance](#)
 - [Application Programming Interface \(API\)](#)
 - [Architecture](#)
 - [Architecture Adaptability](#)
 - [Architecture Board \(AB\)](#)
 - [Argument](#)
 - [Artificial intelligence \(AI\)](#)
 - [Authentication](#)
 - [Authenticity](#)
 - [Automation Pyramid](#)
 - [Availability](#)
 - [Glossary B Terms](#)
 - [Bandwidth](#)
 - [Best-effort Delivery](#)
 - [Big-Data](#)
 - [Big-Endian](#)
 - [Bluetooth](#)
 - [Bootstrap](#)
 - [Business Process Modeling Notation \(BPMN\)](#)
 - [Glossary C Terms](#)
 - [Capability Maturity Model Integration \(CMMI\)](#)
 - [Category 5 \(Cat-5\)](#)
 - [Category 6 \(Cat-6\)](#)
 - [Category 7 \(Cat-7\)](#)
 - [Category 8 \(Cat-8\)](#)

- Central Microgrid
- Central Processing Unit (CPU)
- Claim
- Client-Server
- Codebase
- Command and control (C2)
- Commercial Off-The-Shelf (COTS)
- Common Object Request Broker Architecture (CORBA)
- Communications Model
- Community of Interest (CoI)
- Compiler
- Complex Instruction Set Computer (CISC)
- Component Object Model (COM)
- Computing Platform
- Condition
- Confidentiality
- Consolidated Generation
- Container
- Control Level
- Critical Infrastructure Sectors
- Glossary D Terms
 - Data-Centric
 - Data-Centric Publish-Subscribe (DCPS)
 - DataBase Management System (DBMS)
 - Data Distribution Service (DDS)
 - Datagram Transport Layer Security (DTLS)
 - Data Integrity
 - Data Link Layer
 - Data Logging
 - Data Model (DM)
 - Data Quality
 - Data Reader
 - Data Security
 - Data Structure
 - Datatype
 - Data Writer
 - DDS Application
 - DDS Domain
 - DDS Node
 - DDS Sample
 - Deadline QoS
 - Decoupled
 - Defence Line of Development (DLOD)
 - Defense Federal Acquisition Regulation Supplement (DFARS)
 - Department of Defense (DoD)
 - Deserialization
 - Discovery
 - Distributed Application (Dapp)
 - Distributed Component Object Model (DCOM)

- Distributed Microgrid
- Distributed System
- Domain
- Domain Integrity
- Domain Knowledge
- Domain Name Server (DNS)
- Domain Participant
- Domain Service
- Downtime
- Durability
- Dynamic Disturbance Recording (DDR)
- Glossary E Terms
 - Edge Computing
 - Edge Device
 - Electric Grid
 - Embedded Device
 - Encryption
 - End-to-End (E2E) Lifecycle
 - End-to-End Solution (E2ES)
 - Endpoint
 - Enterprise Resource Planning (ERP)
 - Entity
 - Ethernet
 - Evidence
 - Executable File
- Glossary F Terms
 - Failover
 - Fault Tolerance
 - Federal Acquisition Regulation (FAR)
 - Federal Emergency Management Agency (FEMA)
 - Field Level
 - Functional Requirements
- Glossary G Terms
 - Gateway
 - Goal
 - Graphical User Interface (GUI)
 - Grid
- Glossary H Terms
 - Hardware-in-the-Loop (HWIL)
 - History QoS
 - Hub
 - Human-machine interface (HMI)
- Glossary I Terms
 - ID
 - Industrial Internet of Things (IIoT)
 - Information Technology (IT)
 - Instance
 - Institute of Electrical and Electronics Engineers (IEEE)
 - Intensive Care Unit (ICU)
 - Interface Definition Language (IDL)
 - International Organization for Standardization (ISO)

- Internet
- Internet of Medical Things (IoMT)
- Internet of Things (IoT)
- Internet Protocol (IP)
- Internet Protocol address (IP address)
- Interoperability
- Glossary J Terms
 - JavaScript Object Notation (JSON)
- Glossary K Terms
 - Key
 - Kubernetes (K8s)
- Glossary L Terms
 - Latency
 - Latency Budget QoS
 - Listener
 - Little-Endian
 - Liveliness QoS
 - Load balancing
 - Local Area Network (LAN)
- Glossary M Terms
 - Machine Learning
 - Maintainability
 - Management Level
 - Manufacturing Execution System (MES)
 - Market Research
 - Marshalling
 - Mean Active Maintenance Down Time (MAMDT)
 - Mean Logistics Delay Time (MLDT)
 - Mean Time To Repair (MTTR)
 - Memorandum of Understanding (MoU)
 - Message-Oriented Middleware (MOM)
 - Message Broker
 - Message Queue (MQ)
 - Metadata
 - Microcontroller
 - Microgrid
 - Middleware
 - Ministry of Defence (MoD) - United Kingdom
 - Missile Defense Agency (MDA)
 - Mission Critical System
 - Model-Driven Architecture (MDA)
 - Modularity
 - Module
 - Monitoring Software
 - Multicast
- Glossary N Terms
 - Network Cabling
 - Network Discovery
 - Networking Service

- Network Layer
- Network Node
- Network Security
- Network Stack
- Network Topology
- Non-Functional Requirements
- Non-Repudiation
- North American Energy Standards Board (NAESB)
- North Atlantic Treaty Organization (NATO)
- Glossary O Terms
 - Object-Oriented Programming (OOP)
 - Objective
 - Objective Simulation Framework (OSF)
 - Object Management Group® (OMG)
 - Off-Grid
 - Ontology
 - Open architecture (OA)
 - Open Platform Communication
 - Open Platform Communication Unified Architecture (OPC-UA)
 - Open Systems Interconnection (OSI) Model
 - Operating System (OS)
 - Ownership QoS
 - Ownership Strength
- Glossary P Terms
 - Packet Loss
 - Packet Switched Network (PSN)
 - Partition
 - Peer-to-peer (P2P)
 - Performance
 - Performance Specifications
 - Physical Layer
 - Planning Level
 - Platform Independent Model (PIM)
 - Platform Security
 - Platform Specific Model (PSM)
 - Plug In
 - Pod
 - Point-to-Point
 - Portability
 - Portable Document Format (PDF)
 - Portable Operating System Interface (POSIX)
 - Port Number
 - Predictive Analytics
 - Predictive Maintenance
 - Presentation Layer
 - Privileges
 - Procedural Language
 - Processor
 - Programming Language
 - Project Management Software
 - Protocol

- Publish-Subscribe
- Publisher
- Glossary Q Terms
 - Quality of Service (QoS) Policies
- Glossary R Terms
 - Random access memory (RAM)
 - Read-Only Memory (ROM)
 - Real-Time Operating System (RTOS)
 - Real-time Publish-Subscribe (RTPS)
 - Realtime
 - Reboot the World Problem
 - Recloser
 - Reduced Instruction Set Computer (RISC)
 - Remote Procedure Call (RPC)
 - Renewable Resources
 - Repeater
 - Request For Comment (RFC)
 - Request For Information (RFI)
 - Request For Proposal (RFP)
 - Requirement
 - Resource Description Framework (RDF)
 - Reusability
 - Router
- Glossary S Terms
 - Safety-Critical System (SCS)
 - Sample
 - Scalability
 - Scaling Out
 - Scaling Up
 - Secure Sockets Layer (SSL)
 - Security Model
 - Semantics
 - Sensor
 - Sensor Network
 - Sensor Node
 - Sequence
 - Serialization
 - Server
 - Service Plugin Interface (SPI)
 - Session Layer
 - Shelfware
 - Shielding
 - Smart Card
 - Smart City
 - Smart Grid
 - Software Adaptability
 - Software Library
 - Source Code
 - SPARQL Protocol And RDF Query Language (SPARQL)

- Special Interest Group (SIG)
- Spot Generation
- Sprint
- Standardization Agreement (STANAG)
- Standards Developing Organization (SDO)
- Standards Developing Organization (SDO)
- Storage Device
- Structured Assurance Case
- Sub-Claim
- Subscriber
- Subscriber Identity Module (SIM)
- Supervised Learning
- Supervisory Control and Data Acquisition (SCADA)
- Supervisory Level
- Switch
- Syntax
- System Lifecycle
- Glossary T Terms
 - Tender a Contract
 - Throughput
 - Time-Sensitive Networking (TSN)
 - Topic
 - Topic Name
 - Total Cost of Ownership (TCO)
 - Trade Study
 - Transmission Control Protocol (TCP)
 - Transport Layer
 - Transport layer security (TLS)
 - Transport priority
 - Type Safety
- Glossary U Terms
 - Unicast
 - Unified Modeling Language (UML)
 - Union
 - Unique Identifier (UID)
 - United States Army Corps of Engineers (USACE)
 - Unmanned Aerial Vehicle (UAV)
 - Unmanned Ground Vehicle (UGV)
 - Unsupervised Learning
 - Use Case
 - User Datagram Protocol (UDP)
 - User Scenario
 - User Story
- Glossary V Terms
 - Validation
 - Vendor Lock-In
 - Virtual Private Server (VPS)
- Glossary W Terms
 - WaitSet
 - Waterfall Model
 - Wide Area Network (WAN)

- [Wiki](#)
- [Wired Network](#)
- [Wireless Network](#)
- [Wire Protocol](#)
- [Glossary X Terms](#)
 - [eXtensible Markup Language \(XML\)](#)
 - [XML Information Set \(XML Infoset\)](#)
 - [XML Schema Definition \(XSD\)](#)
- [Glossary Y Terms](#)
- [Glossary Z Terms](#)
 - [ZigBee](#)
- [Appendix G: Acronyms](#)
- [Appendix H: Social Media](#)

From:
<https://omgwiki.org/ddsf/> - **DDS Foundation Wiki**

Permanent link:
https://omgwiki.org/ddsf/doku.php?id=ddsf:public:guidebook:01_front:4_toc&rev=1626293358

Last update: **2021/07/14 16:09**

