e. Table of Contents

return to Reference Architecture (RA)

- 1 Introduction
  - 1.1 Problem
  - 1.2 Purpose
  - 1.3 Content Organization
2. 2 Architectural Views
  - 2.1 Stakeholder Views
    - 2.1.1 Platform View
    - 2.1.2 Domain View
    - 2.1.3 Ecosystem View
    - 2.1.4 Ecosphere View
    - 2.1.5 Exchange View
    - 2.1.6 Enterprise View
    - 2.1.7 Relevant Community Standards
  2. 2.2 Technical Views
    - 2.2.1 Fundamental Views
      - 2.2.1.1 Interfaces
        - 2.2.1.1.1 Platform Interface
        - 2.2.1.1.2 Software Interfaces
        - 2.2.1.1.3 Human Interfaces
      2. 2.2.1.2 Tools
        - 2.2.1.2.1 Logging
        - 2.2.1.2.2 Semantic Web
        - 2.2.1.2.3 Open Source Communities
      3. 2.2.1.3 Case Management
      4. 2.2.1.4 System of Systems (SoS)
      5. 2.2.1.5 Quality
      6. 2.2.1.6 Open Source Paradigm
      7. 2.2.1.7 Assurance
      2. 2.2.2 Node Network View
        - 2.2.2.1 Network View
          - 2.2.2.1.1 Secure Messaging
          - 2.2.2.1.2 Transport
          - 2.2.2.1.3 Security
          - 2.2.2.1.4 Protocol
          - 2.2.2.1.5 Distribution Software
        2. 2.2.2.2 Node View
          - 2.2.2.2.1 Operating System (OS)
          - 2.2.2.2.2 Operating Environment
          - 2.2.2.2.3 DIDO Platform

- 2.2.2.2.4 Distributed Applications

3. 2.2.2.3 Node Architecture
   - 2.2.2.3.1 Immutable Data Objects
     - 2.2.2.3.1.1 Ledger
     - 2.2.2.3.1.2 Transactions
     - 2.2.2.3.1.3 Identities
     - 2.2.2.3.1.4 Wallets
   2. 2.2.2.3.2 Ancillary Data
     - 2.2.2.3.2.1 Journal
     - 2.2.2.3.2.2 Transforms
     - 2.2.2.3.2.3 Distributed Applications
     - 2.2.2.3.2.4 Web Applications
     - 2.2.2.3.2.5 Exchanges
   3. 2.2.2.3.3 Semantic Web
   4. 2.2.2.3.4 Software
4. 2.2.2.4 Messaging View

3. 2.2.3 Decentralized Finance (DeFi) Layers

3. 2.3 Taxonomic Views
   - 1_topologies
     - 2.3.1.1 Centralized Network Topology
     - 2.3.1.2 Decentralized Network Topology
     - 2.3.1.3 Distributed Network Topology
   2. 2_network_access_ctrll
     - 2.3.2.1 Permissionless Networks
     - 2.3.2.2 Permissioned Networks
     - 2.3.2.3 Public Networks
     - 2.3.2.4 Private Networks
     - 2.3.2.5 Hybrid Networks
   3. 3_node_tax
     - 2.3.3.1 Full Node
       - 2.3.3.1.1 Pruned Node
       - 2.3.3.1.2 Archival Node
         - 2.3.3.1.2.1 Authority Node
         - 2.3.3.1.2.2 Staking Node
         - 2.3.3.1.2.3 Mining Node
         - 2.3.3.1.2.4 Masternode
     2. 2.3.3.2 Lightweight Node (Wallet)
     3. 2.3.3.3 Lightning Node
     4. 2.3.3.4 Permanode
     5. 4_data_tax
       - 2.3.4.3.1 Ledger Data
       - 2.3.4.3.2 Ancillary Data
       - 2.3.4.3.3 External Data
     3. 3 Governance
       - 3.1 DIDO Communities
         - 3.1.1 Stakeholder Communities
         - 3.1.2 Software Communities
       2. 3.2 Legal Documents

- 3.2.1 Charter
- 3.2.2 Bylaws
- 3.2.3 Policies and Procedures (P&P)

3. 3.3 Guides
4. 4 Requirements
   - 4.1 About Requirements
     - 4.1.1 Governance Requirements Model
     - 4.1.2 Cognitive Requirements Model
     - 4.1.3 Governing Roles - Combined Requirements Model
     - 4.1.4 Example of a Using the Combined Requirements Model
     - 4.1.5 The Current State of DIDO Requirements
     - 4.1.6 One Degree of Freedom Rule
     - 4.1.7 Specifying Requirements
   2. 4.2 Functional Requirements
      - 4.2.1 Platforms
        - 4.2.1.1 Hardware Platform
        - 4.2.1.2 Operating System Platform
        - 4.2.1.3 Runtime Platforms
        - 4.2.1.4 Network Platforms
        - 4.2.1.5 Virtualized Nodes
      2. 4.2.2 Access Control
      3. 4.3 Non-Functional Requirements
         - 4.3.1 Portability
           - 4.3.1.1 Adaptability
           - 4.3.1.2 Installability
           - 4.3.1.3 Replaceability
         2. 4.3.2 Reliability
            - 4.3.2.1 Maturity
            - 4.3.2.2 Availability
            - 4.3.2.3 Fault Tolerance
            - 4.3.2.4 Recoverability
         3. 4.3.3 Maintainability
            - 4.3.3.1 Modularity
            - 4.3.3.2 Reusability
            - 4.3.3.3 Analysability
            - 4.3.3.4 Modifiability
            - 4.3.3.5 Testability
         4. 4.3.4 Securability

- 4.3.4.1 Confidentiality
- 4.3.4.2 Data Integrity
- 4.3.4.3 Non-Repudiation
- 4.3.4.4 Authenticity
- 4.3.4.5 Accountability

5. 4.3.5 Manageability
   - 4.3.5.1 Types of Manageability Functions
   - 4.3.5.2 Manageability Costs
   - 4.3.5.3 System Manageability Issues
   - 4.3.5.4 Software Manageability Issues
6. 4.3.6 Usability
   - 4.3.6.1 Effectiveness Metrics
   - 4.3.6.2 Efficiency Metrics
   - 4.3.6.3 Attitude / Satisfaction Metrics
7. 4.3.7 Performance
   - 4.3.7.1 Platform Performance
   - 4.3.7.2 Application Performance
   - 4.3.7.3 Network Performance
8. 4.3.8 Interoperability
9. 4.3.9 Elasticity
10. 4.3.10 Scalability

4. 4.4.2.1 How to Use the Non-Functional Requirements Boilerplate
5. 4.4 Assessing Requirements
   - 4.4.1 Functional Requirements Assessment
   - 4.4.2 Non-functional Requirements Assessment

- xapend.a_glossary
- xapend.b_stds
- xapend.c_hwarch
- xapend.d_opsys
- xapend.e_tools
- xapend.f_qos
- xapend.g_testing
- xapend.h_acronyms
- xapend.i_cog_model
- xapend.j_gov_model

- Parking Lot

From:
https://omgwiki.org/dido/ - **DIDO Wiki**

Permanent link:
https://omgwiki.org/dido/doku.php?id=dido:public:ra:0.front:4_toc&rev=1632810741

Last update: **2021/09/28 02:32**