4.3 Non-Functional Requirements

Return to Requirements

About

Return to Top

Non-functional requirements are often incorrectly assumed rather than being explicitly defined by users. This can lead to problems towards the end of a project as the user expectations for non-functional requirements are not met. Many times, the developers dismiss non-functional requirements as non-testable and therefore not enforceable.

This lack of specificity in non-functional requirements sets the stage for conflicts between the users, system architects, systems engineers, and developers. For example, users expect software to start and run every time it is used however, the non-functional requirement of reliability may never have been explicitly specified.

Users expect new features to be added to a system and tested before they use them. Users assume the software is maintainable without an explicit declaration for "maintainability". In many ways, they expect it to be an unwritten requirement and or goal. In other words, users expect the system to be analyzable, changeable, stable and testable[1)]. For example, smartphone users will switch apps to other apps if the energy consumed by the app is not efficient. Efficiency is therefore a non-functional requirement. Energy consumption may also be a functional requirements (i.e., An application can not use more than 1040 mW (milli-Watt) per SMS message. [2)].

- 4.3.1 Portability
  - 4.3.1.1 Adaptability
  - 4.3.1.2 Installability
  - 4.3.1.3 Replaceability
2. 4.3.2 Reliability
  - 4.3.2.1 Maturity
  - 4.3.2.2 Availability
  - 4.3.2.3 Fault Tolerance
  - 4.3.2.4 Recoverability
3. 4.3.3 Maintainability
  - 4.3.3.1 Modularity
  - 4.3.3.2 Reusability
  - 4.3.3.3 Analysability
  - 4.3.3.4 Modifiability
  - 4.3.3.5 Testability
4. 4.3.4 Securability
  - 4.3.4.1 Confidentiality
  - 4.3.4.2 Data Integrity

    - 4.3.4.3 Non-Repudiation
    - 4.3.4.4 Authenticity
    - 4.3.4.5 Accountability
5. 4.3.5 Manageability
    - 4.3.5.1 Types of Manageability Functions
    - 4.3.5.2 Manageability Costs
    - 4.3.5.3 System Manageability Issues
    - 4.3.5.4 Software Manageability Issues
6. 4.3.6 Usability
    - 4.3.6.1 Effectiveness Metrics
    - 4.3.6.2 Efficiency Metrics
    - 4.3.6.3 Attitude / Satisfaction Metrics
7. 4.3.7 Performance
    - 4.3.7.1 Platform Performance
    - 4.3.7.2 Application Performance
    - 4.3.7.3 Network Performance
8. 4.3.8 Interoperability
9. 4.3.9 Elasticity
10. 4.3.10 Scalability

Assessing the Alternatives

Return to Top

Non-Functional requirements are by nature, hard to measure and hard to assess for compliance. The complexity of the assessment problem is compounded because products or systems as well as the environment they operate within are not static. Therefore, an assessment that is done today, may no longer be accurate in the future. When assessing Commercial Off-The-Shelf (COTS), Government Off-The-Shelf (GOTS), Modified Off-The-Shelf (MOTS) or NATO Off-The-Shelf (NOTS) or the inclusion of Open Source Software (OSS) the potential for changes (particularly enhancements) needs to be assed also.

One way to accomplish this is to provided an assessment which is weighted for the “ease of implementation” for new features. For example, a system or product may not have done much to support 4.3.4.1 Confidentiality, but the vendor of the product might determine that it is an easy upgrade to add it to the product. On the other hand, the support for **Confidentiality** might be extremely difficult. Sometimes, the feature may be easy to solve but requires time and money to accomplish. As a potential stakeholder, they can direct resources to help overcome this shortfall.




Figure 1: An overview of the Assessment Process

The Vendor's Assessment

Return to Top

The Vendor's assessment team will discuss with each other and use the DIDO-RA workbook to determine the weight of the requirement.





Figure 2: The Vendor's Assessment Team Activities

This is done by weighing each property, related to the Requirement, by giving a score between 1-100. 1 representing an easy development process, and 100 being impossible now, merely very difficult in a couple years.



Publish the assessment, and notify the vendor..

The Stakeholder's Focus Group

Return to Top

The Vendor's stakeholder assessment team now can create a focus group of stakeholder's. This group is used in conjunction with the stakeholder assessment team to determine the importance of the Requirement.






Figure 5: The Stakeholder's Focus Group Activities

This is done by rating each property related to the requirement with either a '+' option representing a 'more important' status, or a '-' option representing a 'less important' status. On the Coefficient sheet choosing a '+' will cause a '-' to be put in the opposite cell in the table. EX: cell(1,2)='+' means cell(2,1)='-'. Also properties can't be compared to themselves, these cells have lines drawn through them to represent this.



At the end of filling out each table. Each row is counted for '+', the number of '+' in a row is equal to the coefficient for that property.



When completed publish the assessment and notify the stakeholder's.

The Stakeholder's Assessment Team

Return to Top

Once the assessments and importance coefficients are set, the DIDO-RA is passed to the stakeholder's assessments team. Here they will take the factor weighting and the coefficients to create the Figures of Merit(FOM). These figures are then published to assessment reports that are

given to the Vendor, and/or given back to the stakeholder's assessment team for further review.




Figure 8: The Stakeholder's Assessment Team Activities

The Stakeholder's Award Team

Return to Top

The stakeholder's receive the Assessment Reports as well, if they deem the results satisfactory they will choose the product just reviewed.




Figure 9: The Stakeholder's Award team Activities

Creating a Trade Study

Return to Top

A trade study or trade-off study helps consumers compare products on an equal footing, in other words, to help a consumer compare apples-to-apples so to speak. For example, when comparing cameras it is important to know the resolution metric of the camera. Simplistically, the higher the resolution, the better the camera. Speakers on the other hand might use the highest or lowest speaker frequency responses as a metric. Each metric is unique to the product being evaluated. However, if two cameras each have the same camera resolution, then the additional metric of frequency response might be used as a differentiator.

In the examples above, the camera resolution and frequency responses are specific to the product being evaluated and are referred to as functional requirements. However, there are also a set of requirements with corresponding metrics that capture products non-functional requirements (i.e., sometimes referred to as the "**ilities**" and include things like maintainab**ility**, portab**ility**, reliab**ility**, etc.)

Often a trade study is based on a collection of Figure of Merits with each FoM representing a single evaluation score for a single function. In the examples above, the camera resolution, or the high frequency response. An entire camera may have a FoM, but it represents the cumulative FoM of each function. A Camera may have other FoMs such as weight, battery life, size, or exchangeable lenses.

- How to Use the Boiler Plate

[1)]

Prolifics Testiing, Achieving Requirements Testability, 10 October 2018, Accessed 10 November

2020, https://www.prolifics-testing.com/news/achieving-requirements-testability
[2)]

Sai Suren Kumar Kasireddy and Vishnuvardhan Reddy Bojja, Measurements of EnergyConsumption in MobileApplications with respect toQuality of Experience, School of Computing, Blekinge Institute of Technology, 37179 Karlskrona, Sweden, March 2012, Acessed on 10 November 2020, https://www.diva-portal.org/smash/get/diva2:829733/FULLTEXT01.pdf

From:
https://omgwiki.org/dido/ - **DIDO Wiki**

Permanent link:
https://omgwiki.org/dido/doku.php?id=dido:public:ra:1.4_req:2_nonfunc&rev=1615917713

Last update: **2021/03/16 14:01**