

DIDO RA (Combined)

- Reference Architecture (RA)
- 0.front
- a. Cover Page
- OMG Discussion Paper Disclaimer
- b. Change Log
- c. Abstract
- d. Copyright Notice
- f. Preface
- 1.1_intro
- 1.1 Problem
- 1.2 Purpose
- 1.3 Content Organization
- 1.2_views
- 2.1 Stakeholder Views
- 2.1.1 Platform View
- 2.1.2 Domain View
- 2.1.3 Ecosystem View
- 2.1.4 Ecosphere View
- 2.1.5 Exchange View
- 2.1.6 Enterprise View
- 2.1.7 Relevant Community Standards
- 2.2 Technical Views
- 2.2.1 Fundamental Views
- 2.2.1.4 System of Systems (SoS)
- 2.2.1.6 Open Source Paradigm
- 2.2.1.3 Case Management
- 2.2.1.7 Assurance
- 2.2.1.5 Quality
- 6_interface
- 1_platform
- 2_software
- 3_human
- 2.2.1.2 Tools
- 2.2.1.2.1 Logging
- 2.2.1.2.2 Semantic Web
- 2.2.1.2.3 Open Source Communities
- 2-nodenet
- 2.2.2.1 Network View
- 2.2.2.1.1 Secure Messaging
- 2.2.2.1.2 Transport
- 2.2.2.1.3 Security
- 2.2.2.1.4 Protocol
- 2.2.2.1.5 Distribution Software
- 2.2.2.2 Node View

- [2.2.2.2.1 Operating System \(OS\)](#)
- [2.2.2.2.2 Operating Environment](#)
- [2.2.2.2.3 DIDO Platform](#)
- [2.2.2.2.4 Distributed Applications](#)
- [2.2.2.3 Node Architecture](#)
- [2.2.2.3.1 Immutable Data Objects](#)
- [2.2.2.3.1.1 Ledger](#)
- [2.2.2.3.1.2 Transactions](#)
- [2.2.2.3.1.3 Identities](#)
- [2.2.2.3.1.4 Wallets](#)
- [2.2.2.3.2 Ancillary Data](#)
- [2.2.2.3.2.1 Journal](#)
- [2.2.2.3.2.2 Transforms](#)
- [2.2.2.3.2.3 Distributed Applications](#)
- [2.2.2.3.2.4 Web Applications](#)
- [2.2.2.3.2.5 Exchanges](#)
- [2.2.2.3.3 Semantic Web](#)
- [2.2.2.3.4 Software](#)
- [2.2.2.4 Messaging View](#)
- [3_taxonomic](#)
- [1_topologies](#)
- [2.3.1.1 Centralized Network Topology](#)
- [2.3.1.2 Decentralized Network Topology](#)
- [2.3.1.3 Distributed Network Topology](#)
- [2.3.1.4 Relevant Networking Standards](#)
- [2_network_access_ctrl](#)
- [2.3.2.1 Permissionless Networks](#)
- [2.3.2.2 Permissioned Networks](#)
- [2.3.2.3 Public Networks](#)
- [2.3.2.4 Private Networks](#)
- [2.3.2.5 Hybrid Networks](#)
- [3_node_tax](#)
- [2.3.3.1 Full Node](#)
- [2.3.3.1.1 Pruned Node](#)
- [2.3.3.1.2 Archival Node](#)
- [2.3.3.1.2.1 Authority Node](#)
- [2.3.3.1.2.2 Staking Node](#)
- [2.3.3.1.2.3 Mining Node](#)
- [2.3.3.1.2.4 Masternode](#)
- [2.3.3.2 Lightweight Node \(Wallet\)](#)
- [2.3.3.3 Lightning Node](#)
- [2.3.3.4 Permanode](#)
- [4_data_tax](#)
- [1_ledger](#)
- [2_ancillary](#)
- [3_external](#)
- [3 Governance](#)

- [3.1 DIDO Communities](#)
- [3.1.1 Stakeholder Communities](#)
- [3.1.2 Software Communities](#)
- [3.2 Legal Documents](#)
- [3.2.1 Charter](#)
- [3.2.2 Bylaws](#)
- [3.2.3 Policies and Procedures \(P&P\)](#)
- [3.3 Guides](#)
- [xapend.glossary](#)
- [a](#)
- [application](#)
- [api](#)
- [asic](#)
- [assurance](#)
- [authorization](#)
- [b](#)
- [bitcoin_wallet](#)
- [block_producers](#)
- [block_validators](#)
- [blkchn](#)
- [blockchain_network](#)
- [brown](#)
- [bylaw](#)
- [byzantine_fault_tolerance](#)
- [byzantine_generals_problem](#)
- [c](#)
- [cpu](#)
- [charter](#)
- [coins](#)
- [cli](#)
- [cil](#)
- [clr](#)
- [communication_protocol](#)
- [community_of_interest_coi](#)
- [cm](#)
- [consensus_algorithm](#)
- [copyleft](#)
- [d](#)
- [daas](#)
- [dbms](#)
- [dds](#)
- [dm](#)
- [data_protection](#)
- [datastore](#)
- [de_facto_standard](#)
- [delegated_byzantine](#)
- [delegated_proof_of_stake_dpos](#)
- [dod](#)

- [directed_acyclic_graph_dag](#)
- [dil](#)
- [dapp](#)
- [dido](#)
- [dlt](#)
- [dns](#)
- [e](#)
- [ec2](#)
- [endianness](#)
- [eip](#)
- [erc](#)
- [f](#)
- [fifty_one_percent_51_attack](#)
- [figi](#)
- [figi_symbology](#)
- [full](#)
- [fungible](#)
- [g](#)
- [dgpr](#)
- [gms](#)
- [gui](#)
- [gpu](#)
- [green](#)
- [h](#)
- [hard_fork](#)
- [health_insurance_portability_and_accountability_act](#)
- [hybrid_network](#)
- [hype_cycle](#)
- [i](#)
- [identification](#)
- [immutable](#)
- [iiot](#)
- [information_assurance](#)
- [is](#)
- [it](#)
- [iaas](#)
- [ico](#)
- [intelp](#)
- [interface](#)
- [internet_of_things_iot](#)
- [ip](#)
- [j](#)
- [jit](#)
- [k](#)
- [kyc](#)
- [l](#)
- [ledger](#)

- [lic_distribution](#)
- [lic_linking](#)
- [lic_modification](#)
- [lic_patent_grant](#)
- [lic_private_use](#)
- [lic_sublicensing](#)
- [lic_trademark_grant](#)
- [lightning_network](#)
- [light](#)
- [m](#)
- [maintainability_measure](#)
- [mq](#)
- [micropayment_channel](#)
- [miner](#)
- [mission_assurance](#)
- [multi-signature](#)
- [n](#)
- [network_traffic_analyzer](#)
- [node](#)
- [node_network](#)
- [o](#)
- [oss](#)
- [operating_system](#)
- [ot](#)
- [oracle](#)
- [p](#)
- [parliamentary_authority](#)
- [payment_channel](#)
- [pedigree](#)
- [p2p](#)
- [performance_efficiency_measure](#)
- [permissioned](#)
- [permissionless](#)
- [permissive_oss](#)
- [paas](#)
- [pim](#)
- [psm](#)
- [policy](#)
- [principle](#)
- [principles](#)
- [private_network](#)
- [procedure](#)
- [proof_of_authority_poa](#)
- [proof_of_stake_pos](#)
- [proof_of_work](#)
- [provenance](#)
- [public_network](#)
- [q](#)

- [r](#)
- [reference_architecture](#)
- [registered_agent](#)
- [rdbms](#)
- [reliability_measure](#)
- [rest](#)
- [rfc](#)
- [rfi](#)
- [rfp](#)
- [restful](#)
- [rss](#)
- [risk](#)
- [s](#)
- [safety_assurance](#)
- [salami_slicing](#)
- [sarbanes-oxley_act](#)
- [security_measure](#)
- [semantic_web](#)
- [spv](#)
- [smart_contracts](#)
- [snapshot](#)
- [soft_fork](#)
- [saas](#)
- [software_assurance](#)
- [sig](#)
- [special_rules](#)
- [stakeholder](#)
- [sdo](#)
- [standards_organization](#)
- [standing_rules](#)
- [statute](#)
- [stp](#)
- [system_assurance](#)
- [systems_software_quality_requirements_evaluation](#)
- [t](#)
- [tangle](#)
- [taxonomy](#)
- [technical_standard](#)
- [tokens](#)
- [tcp](#)
- [u](#)
- [uml](#)
- [unix](#)
- [v](#)
- [vm](#)
- [w](#)
- [weight_of_network](#)

- x
- y
- z
- xappend.b_stds
- Technical Standards Bodies
- asf
- apa_2.0
- ecma
- ECMA: Standard ECMA-262 - ECMAScript® 2018 Language Specification (Javascript)
- ECMA: Standard ECMA-334 - C# Language Specification
- ECMA: Standard ECMA-335 - Common Language Infrastructure (CLI)
- ECMA: Technical Report TR/84 - Common Language Infrastructure (CLI) - Information Derived from Partition IV XML File
- ECMA: Technical Report TR/89 - Common Language Infrastructure (CLI) - Common Generics
- ieee
- posix
- ietf
- RFC0147 - The Definition of a Socket
- RFC0768 - User Datagram Protocol (UDP)
- RFC0791 - Internet Protocol (IPv4)
- RFC0793 - Transmission Control Protocol
- RFC1034 - Domain Names - Concepts and Facilities
- RFC1035 - Domain Names - Implementation and Specification
- RFC1112 - Host Extensions for IP Multicasting
- RFC1831 - Remote Procedure Call Protocol Specification Version 2 (RPC)
- RFC2026 - The Internet Standards Process
- RFC2104 - Keyed-Hashing for Message Authentication (HMAC)
- RFC2246 - The TLS Protocol
- RFC2315 - Cryptographic Message Syntax
- RFC2426 - vCard MIME Directory Profile
- RFC2460 - Internet Protocol, Version 6 (IPv6) Specification
- RFC2818 - HTTP Over TLS (HTTPS)
- RFC3339 - Date and Time on the Internet: Timestamps
- RFC3447 - PKCS #1: RSA Cryptography Specifications
- RFC3596 - DNS Extension to support IP Version 6
- RFC4122 - A Universally Unique Identifier (UUID) URN Namespace
- RFC5011 - Automated Updates of DNS Security (DNSSEC) Trust Anchors
- RFC5424 - The Syslog Protocol (SYSLOG)
- RFC6101 - The Secure Sockets Layer (SSL) Protocol Version 3.0
- RFC6376 - DomainKeys Identified Mail (DKIM) Signatures
- RFC6455 - The WebSocket Protocol
- RFC6749 - The OAuth 2.0 Authorization Framework
- RFC6750 - The OAuth 2.0 Authorization Framework: Bearer Token Usage
- RFC6891 - Extension Mechanisms for DNS (EDNS(0))
- RFC6979 - Deterministic Usage of the Digital Signature Algorithm (DSA) and Elliptic Curve Digital Signature Algorithm (ECDSA)
- RFC7061 - eXtensible Access Control Markup Language (XACML) XML Media Type
- RFC7235 - Hypertext Transfer Protocol (HTTP/1.1): Authentication

- [RFC8259 - The JavaScript Object Notation \(JSON\) Data Interchange Format](#)
- [iso](#)
- [ISO/IEC 19506:2012 Architecture-Driven Modernization \(ADM\) -- Knowledge Discovery Meta-Model \(KDM\)](#)
- [ISO/IEC 23360-1:2006 Linux Standard Base \(LSB\) core specification 3.1 -- Part 1: Generic specification](#)
- [ISO 9001:2015 Quality management](#)
- [ISO/IEC/IEEE 90003:2018 Software engineering - Guidelines for the application of ISO 9001:2015 to computer software](#)
- [ISO/IEC/IEEE 25000:2014 SQuaRE -- Guide to SQuaRE](#)
- [ISO/IEC 25001:2014 SQuaRE -- Planning and Management](#)
- [ISO/IEC 25010:2011 SQuaRE -- System and Software Quality Models](#)
- [ISO/IEC 25012:2008 SQuaRE -- Data Quality Model](#)
- [ISO/IEC 25020:2007 SQuaRE -- Measurement Reference Model and Guide](#)
- [ISO/IEC 25021:2012 SQuaRE -- Quality Measure Elements](#)
- [ISO/IEC 25022:2016 SQuaRE -- Measurement of Quality in Use](#)
- [ISO/IEC 25023:2016 SQuaRE -- Measurement of System and Software Product Quality](#)
- [ISO/IEC 25024:2015 SQuaRE -- Measurement of Data Quality](#)
- [ISO/IEC 25030:2007 SQuaRE -- Quality Requirements](#)
- [ISO/IEC 25040:2011 SQuaRE -- Evaluation Process](#)
- [ISO/IEC 25041:2012 SQuaRE -- Evaluation Guide for Developers, Acquirers and Independent Evaluators](#)
- [ISO/IEC 25045:2010 SQuaRE -- Evaluation Module for Recoverability](#)
- [ISO/IEC 9899:2018 Programming languages -- C](#)
- [ISO/IEC 14882:2017 Programming languages -- C++](#)
- [ISO/IEC 22275:2018 Programming Languages - ECMAScript Specification Suite](#)
- [ISO 8601-1:2019 Date and time -- Representations for information interchange -- Part 1: Basic rules](#)
- [ISO 8601-2:2019 Date and time -- Representations for information interchange -- Part 2: Extensions: Basic rules](#)
- [ISO/IEC/IEEE 15288:2015 Systems and software engineering -- System life cycle processes](#)
- [ISO/IEC 9834-8:2014 Information technology -- Procedures for the operation of object identifier registration authorities -- Part 8: Generation of universally unique identifiers \(UUIDs\) and their use in object identifiers](#)
- [itu](#)
- [ITU-T Y.2060 - Overview of the Internet of things](#)
- [nist](#)
- [NIST: FIPS PUB 186-4: Digital Signature Standard \(DSS\)](#)
- [NIST: SP 800-89: Recommendation for Obtaining Assurances for Digital Signature Applications](#)
- [NIST: SP 800-126: The Technical Specification for the Security Content Automation Protocol \(SCAP\)](#)
- [oasis](#)
- [OASIS: Assertions and Protocols for the OASIS Security Assertion Markup Language \(SAML\)](#)
- [OASIS: eXtensible Access Control Markup Language \(XACML\)](#)
- [omg](#)
- [OMG: Automated Source Code CISQ Measures \(ASCQM\)](#)
- [OMG: Automated Source Code CISQ Maintainability Measure \(ASCMM\)](#)
- [OMG: Automated Source Code CISQ Security Measure \(ASCSM\)](#)
- [OMG: Automated Source Code CISQ Performance Efficiency Measure \(ASCPem\)](#)

- OMG: Automated Source Code CISQ Reliability Measure (ASCRM)
- OMG: CISQ Automated Enhancement Points (AEP)
- OMG: CISQ Automated Function Points (AFP)
- OMG: CISQ Automated Technical Debt Measure (ATDM)
- OMG: Case Management Model and Notation (CMMN)
- OMG: Data Distribution Service (DDS)
- OMG: DDS Interoperability Wire Protocol (DDSI-RTPS)
- OMG: ISO/IEC C++ 2003 Language DDS PSM (DDS-PSM-Cxx)
- OMG: Java 5 Language PSM for DDS (DDS-Java)
- OMG: OPC-UA/DDS Gateway (DDS-OPCUA)
- OMG: RPC Over DDS (DDS-RPC)
- OMG: DDS Security (DDS-SECURITY)
- OMG: Web-Enabled DDS (DDS-WEB)
- OMG: DDS Consolidated XML Syntax (DDS-XML)
- OMG: DDS For Extremely Resource Constrained Environments (DDS-XRCE)
- OMG: Extensible and Dynamic Topic Types for DDS (DDS-XTypes)
- OMG: Interface Definition Language (IDL)
- OMG: Ontology Definition Metamodel (ODM)
- OMG: Semantics Of Business Vocabulary and Rules (SBVR)
- OMG: Structured Assurance Case Metamodel (SACM)
- OMG: Structured Metrics Metamodel (SMM)
- OMG: Systems Modeling Language (SysML)
- OMG: Unified Architecture Framework (UAF)
- osi
- OSI: The 2-Clause BSD License (BSD-2-Clause)
- OSI: The 3-Clause BSD License (BSD-3-Clause)
- OSI: GNU Library General Public License version 2 (LGPL-2.0)
- OSI: GNU Lesser General Public License version 2.1 (LGPL-2.1)
- OSI: GNU General Public License version 3 (GPL-3.0)
- OSI: The MIT License (MIT)
- OSI: Common Public License, Version 1.0 (CPL-1.0)
- OSI: Eclipse Public License Version 2.0 (EPL-2.0)
- OSI: Mozilla Public License (MPL-2.0)
- w3c
- W3C: Cascading Style Sheets Level 2 Revision 2 (CSS 2.2) Specification
- W3C: Decentralized Identifiers (DIDs) 1.0
- W3C: Document Object Model (DOM) Level 3 Core Specification
- W3C: HTML5 (HTML5)
- W3C: OWL 2 Web Ontology Language - Structural Specification and Functional-Style Syntax (second Edition)
- W3C: RDF 1.1 Concepts and Abstract Syntax (RDF)
- W3C: RDF 1.1 Terse RDF Triple Language (Turtle)
- W3C: SPARQL 1.1 Overview (SPARQL)
- W3C: Extensible Markup Language (XML) 1.0 (Fifth Edition)
- W3C: XML Schema Definition Language (XSD) 1.1 Part 1: Structures
- W3C: XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes
- W3C: XSL Transformations (XSLT) Version 3.0
- W3C: XML Path Language (XPath) 3.1

- [de facto Standards Bodies](#)
- [amazon](#)
- [apache](#)
- [Apache: Log4j](#)
- [Apache: Log4cxx](#)
- [Apache: log4php](#)
- [Apache: log4net](#)
- [Apache: log4jscala](#)
- [apple](#)
- [Apple: Darwin](#)
- [Apple: iOS](#)
- [Apple: MacOS](#)
- [bitcoin](#)
- [Bitcoin: Bitcoinj Developer's Documentation](#)
- [Bitcoin: Developer's Guidance](#)
- [Bitcoin: Guide 1 Blockchain](#)
- [Bitcoin: Guide 2 Transactions](#)
- [Bitcoin: Guide 3 Contracts](#)
- [Bitcoin: Guide 4 Wallets](#)
- [Bitcoin: Guide 5 Payment Processing Guide](#)
- [Bitcoin: Guide 6 Operating Modes](#)
- [Bitcoin: Guide 7 Peer-to-Peer Networks](#)
- [Bitcoin: Guide 8 Mining](#)
- [Bitcoin: Bitcoin Improvement Proposals \(BIPs\)](#)
- [BIP 0011 - M-of-N Standard Transactions](#)
- [BIP 0013 - Address Format for pay-to-script-hash](#)
- [BIP 0014 - Protocol Version and User Agent](#)
- [BIP 0021 - URI Scheme](#)
- [BIP 0022 - getblocktemplate - Fundamentals](#)
- [BIP 0023 - getblocktemplate - Pooled Mining](#)
- [BIP 0031 - Pong message](#)
- [BIP 0035 - mempool message](#)
- [BIP 0037 - Connection Bloom filtering](#)
- [BIP 0061 - Reject P2P message](#)
- [BIP 0070 - Payment Protocol](#)
- [BIP 0071 - Payment Protocol MIME types](#)
- [BIP 0072 - bitcoin: uri extensions for Payment Protocol](#)
- [BIP 0073 - Use "Accept" header for response type negotiation with Payment Request URLs](#)
- [BIP 0137 - Signatures of Messages using Private Keys](#)
- [BIP 0144 - Segregated Witness \(Peer Services\)](#)
- [BIP 0145 - getblocktemplate Updates for Segregated Witness](#)
- [BIP 0016 - Pay to Script Hash \(soft fork\)](#)
- [BIP 0030 - Duplicate transactions \(soft fork\)](#)
- [BIP 0034 - Block v2, Height in Coinbase \(soft fork\)](#)
- [BIP 0042 - A finite monetary supply for Bitcoin \(soft fork\)](#)
- [BIP 0065 - OP_CHECKLOCKTIMEVERIFY \(soft fork\)](#)
- [BIP 0068 - Relative lock-time using consensus-enforced sequence numbers \(soft fork\)](#)

- BIP 0091 - Reduced threshold Segwit MASF (soft fork)
- BIP 0112 - CHECKSEQUENCEVERIFY (soft fork)
- BIP 0113 - Median time-past as endpoint for lock-time calculations (soft fork)
- BIP 0141 - Segregated Witness (Consensus layer) (soft fork)
- BIP 0143 - Transaction Signature Verification for Version 0 Witness Program (soft fork)
- BIP 0147 - Dealing with dummy stack element malleability (soft fork)
- BIP 0148 - Mandatory activation of segwit deployment (soft fork)
- [cisc](#)
- [ethereum](#)
- [ethereum_solidity](#)
- [ethereum_vm](#)
- [Ethereum: Ethereum Improvement Proposals \(EIPs\)](#)
- [EIP 20: ERC-20 Token Standard](#)
- [EIP 55: Mixed-case checksum address encoding](#)
- [EIP 137: Ethereum Domain Name Service - Specification](#)
- [EIP 141: Designated invalid EVM instruction](#)
- [EIP 155: Simple replay attack protection](#)
- [EIP 162: Initial ENS Hash Registrar](#)
- [EIP 165: ERC-165 Standard Interface Detection](#)
- [EIP 181: ENS support for reverse resolution of Ethereum addresses](#)
- [EIP 190: Ethereum Smart Contract Packaging Standard](#)
- [EIP 191: Signed Data Standard \(DRAFT\)](#)
- [EIP 211: New opcodes: RETURNDATASIZE and RETURNDATACOPY](#)
- [EIP 214: New opcode STATICCALL](#)
- [EIP 721: ERC-721 Non-Fungible Token Standard](#)
- [EIP 777: ERC-777 Token Standard](#)
- [EIP 1167: Minimal Proxy Contract](#)
- [EIP 1820: Pseudo-introspection Registry Contract](#)
- [EIP 107: safe "eth_sendTransaction" authorization via html popup \(DRAFT\)](#)
- [EIP 234: `blockHash` to JSON-RPC filter options \(DRAFT\)](#)
- [EIP 695: Create `eth\\_chainId` method for JSON-RPC \(DRAFT\)](#)
- [EIP 712: Ethereum typed structured data hashing and signing \(DRAFT\)](#)
- [EIP 758: ERC-NN Subscriptions and filters for completed transactions \(DRAFT\)](#)
- [EIP 1102: Opt-in account exposure \(DRAFT\)](#)
- [EIP 1186: RPC-Method to get Merkle Proofs - eth_getProof \(DRAFT\)](#)
- [EIP 1193: Ethereum Provider JavaScript API \(DRAFT\)](#)
- [EIP 1474: Remote Procedure Call \(RPC\) specification \(DRAFT\)](#)
- [EIP 1767: GraphQL interface to Ethereum node data \(DRAFT\)](#)
- [EIP 1803: ERC-NN Rename opcodes for clarity \(DRAFT\)](#)
- [EIP 1898: ERC-NN Add `blockHash` to JSON-RPC methods which accept a default block parameter \(DRAFT\)](#)
- [Ethereum: Clients](#)
- [Ethereum: cpp Project](#)
- [Ethereum: Ethereumh Project](#)
- [Ethereum: Ethereumjs-lib Project](#)
- [Ethereum: Ethereum_j Project](#)
- [Ethereum: Go-ethereum Project](#)
- [Ethereum: Parity Project](#)

- [Ethereum: Pyethapp Project](#)
- [Ethereum: Ruby-ethereum Project](#)
- [google](#)
- [Google: Android](#)
- [Google: Go \(software language\)](#)
- [Google: gRPC](#)
- [Google: Protocol Buffers](#)
- [iota](#)
- [linuxf](#)
- [Linux Foundation: Hyperledger](#)
- [Linux Foundation: OpenJS Foundation](#)
- [Kubernetes](#)
- [Node.js](#)
- [Linux Foundation: Open Middleware Agnostic Messaging API \(OpenMAMA\)](#)
- [Linux Foundation: Open Messaging](#)
- [ISO/IEC The Linux Standard Base 5 Specification Series \(LSB 5\)](#)
- [microsoft](#)
- [Microsoft: Windows API](#)
- [orcle](#)
- [Oracle: The Java® Language Specification SE 8 Edition](#)
- [Oracle: The Java® Virtual Machine Specification JVM](#)
- [Oracle: Java logger API](#)
- [todo](#)
- [TODO: How to create an open source program](#)
- [TODO: Measuring your open source program's success](#)
- [TODO: Tools for managing open source programs](#)
- [TODO: Using open source code](#)
- [TODO: Participating in open source communities](#)
- [TODO: Recruiting open source developers](#)
- [TODO: Starting an open source project](#)
- [TODO: Improve your open source development impact](#)
- [TODO: Shutting down an open source project](#)
- [TODO: Building leadership in an open source community](#)
- [TODO: Setting an Open Source Strategy](#)
- [git](#)
- [ipfs](#)
- [jenkins](#)
- [jira](#)
- [partoscommunity](#)
- [zeromq](#)
- [zmtip](#)
- [xapend.tools](#)
- [oss](#)
- [license-scan](#)
- [bugtrack](#)
- [release-mgmt](#)
- [project-health](#)

- [code-review](#)
- [code-signing](#)
- [project-oversigt](#)
- [project-quality](#)
- [logging](#)
- [netwrkanal](#)
- [apdxx.acronyms](#)

From:

<https://omgwiki.org/dido/> - **DIDO Wiki**

Permanent link:

https://omgwiki.org/dido/doku.php?id=wiki:ebook:dido_ra_combined&rev=1605252220



Last update: **2020/11/13 02:23**